

[Corrigendum] Evaluations of Paranasal Sinus Disease Using Multidetector Computed Tomography in Taif City, Saudi Arabia

Osama Alotaibi^{1,2}, Hamid Osman^{3*}, Yasser Hadi⁴, Yasser Alzamil⁵, Amjad Alyahyawi^{5,6}, Mamdouh S. Al-Enezi⁵, Feras Alafer⁷, Ahmad Abanomy⁸, Mayeen Uddin Khandaker^{9,10}, Meshari Almeshari⁵

¹Department of Radiology, College of Applied Medical Sciences, University of Ha'il, Ha'il, Saudi Arabia

²Department of Radiology, King Abdulaziz Specialist Hospital-Taif, Taif, Saudi Arabia

³Department of Radiological Sciences, College of Applied Medical Science, Taif University, P. O. Box 2425, Taif 21944, Saudi Arabia

⁴Department of Medical Imaging and Intervention, King Abdullah Medical City (KAMC), Makkah, Saudi Arabia

⁵Department of Diagnostic Radiology, College of Applied Medical Sciences, University of Ha'il, Ha'il, Saudi Arabia.

⁶Centre for Nuclear and Radiation Physics, Department of Physics, University of Surrey, Guildford, Surrey GU2 7XH, UK

⁷Department of Radiological Sciences, College of Applied Medical Sciences, Jouf University, Sakaka, Saudi Arabia

⁸Department of Radiological Sciences, College of Applied Medical Sciences, King Saud University, P. O. Box 10219, Riyadh 11433, Saudi Arabia

⁹Centre for Applied Physics and Radiation Technologies, School of Engineering and Technology, Sunway University, Selangor, Malaysia

¹⁰Daffodil International University, Dhaka, Bangladesh

Abstract

Corrigendum for 'Evaluations of Paranasal Sinus Disease Using Multidetector Computed Tomography in Taif City, Saudi Arabia' by: Alotaibi O, Osman H, Hadi Y, Alzamil Y, Alyahyawi A, Al-Enezi MS, Alafer F, Abanomy A, Khandaker MU, Almeshari M. International Journal of Biomedicine 12(4): 575-579. doi: 10.21103/Article12(4)_OA9. Following the publication of this article, the authors have realized that errors were made with the description of the listed affiliation addresses. Therefore, the author affiliations and addresses, in this paper should have appeared as follows: Osama Alotaibi^{1,2}, Hamid Osman³, Yasser Hadi⁴, Yasser Alzamil⁵, Amjad Alyahyawi^{5,6}, Mamdouh S. Al-Enezi⁵, Feras Alafer⁷, Ahmad Abanomy⁸, Mayeen Uddin Khandaker^{9,10}, and Meshari Almeshari⁵;

¹Department of Radiology, College of Applied Medical Sciences, University of Ha'il, Ha'il, Saudi Arabia

²Department of Radiology, King Abdulaziz Specialist Hospital-Taif, Taif, Saudi Arabia

³Department of Radiological Sciences, College of Applied Medical Science, Taif University, P. O. Box 2425, Taif 21944, Saudi Arabia

⁴Department of Medical Imaging and Intervention, King Abdullah Medical City (KAMC), Makkah, Saudi Arabia

⁵Department of Diagnostic Radiology, College of Applied Medical Sciences, University of Ha'il, Ha'il, Saudi Arabia.

⁶Centre for Nuclear and Radiation Physics, Department of Physics, University of Surrey, Guildford, Surrey GU2 7XH, UK

⁷Department of Radiological Sciences, College of Applied Medical Sciences, Jouf University, Sakaka, Saudi Arabia

⁸Department of Radiological Sciences, College of Applied Medical Sciences, King Saud University, P. O. Box 10219, Riyadh 11433, Saudi Arabia

⁹Centre for Applied Physics and Radiation Technologies, School of Engineering and Technology, Sunway University, Selangor, Malaysia

¹⁰Daffodil International University, Dhaka, Bangladesh

The authors apologize for any inconvenience caused.

For citation: Alotaibi O, Osman H, Hadi Y, Alzamil Y, Alyahyawi A, Al-Enezi MS, Alafer F, Abanomy A, Khandaker MU, Almeshari M. [Corrigendum] Evaluations of Paranasal Sinus Disease Using Multidetector Computed Tomography in Taif City, Saudi Arabia. International Journal of Biomedicine. 2023;13(2):364. doi:10.21103/Article13(2)_C. Erratum for: International Journal of Biomedicine. 2022;12(4):575-579. doi:10.21103/Article12(4)_OA9.